

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

			<u> </u>	
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/678,693	10/03/2003	William J. Murphy	JJK-0329 (P2002J099)	9950
27810 75	90 10/10/2006		EXAM	INER
EXXONMOB	IL RESEARCH AND E	ENGINEERING COMPANY	NGUYEN, TAM M	
P.O. BOX 900				
1545 ROUTE 2	2 EAST		ART UNIT	PAPER NUMBER
ANNANDALE	, NJ 08801-0900		1764	
			DATE MAILED: 10/10/200	6

DATE MAILED: 10/10/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
Office Action Commence	10/678,693	MURPHY ET AL.	`
Office Action Summary	Examiner	Art Unit	·
	Tam M. Nguyen	1764	
The MAILING DATE of this communication appeared for Reply	ppears on the cover sheet w	ith the correspondence address -	•
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perio - Failure to reply within the set or extended period for reply will, by statuent Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNI 1.136(a). In no event, however, may a Individual will expire SIX (6) MON Individual to the properties of the proper	CATION. reply be timely filed ITHS from the mailing date of this communica BANDONED (35 U.S.C. § 133).	·
Status			
1) Responsive to communication(s) filed on 13	July 2006.		
2a) This action is FINAL . 2b) ⊠ Th	nis action is non-final.		
3) Since this application is in condition for allow	ance except for formal mat	ers, prosecution as to the merits	is is
closed in accordance with the practice under	Ex parte Quayle, 1935 C.E). 11, 453 O.G. 213.	
Disposition of Claims			
4) ⊠ Claim(s) <u>1-4,8-11,15-18,20-23 and 25</u> is/are 4a) Of the above claim(s) is/are withdr 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1-4, 8-11, 15-18, 20-23 and 25</u> is/ar 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and	rawn from consideration.		
Application Papers			
9) The specification is objected to by the Examir 10) The drawing(s) filed on is/are: a) acceptable and applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examiration.	ccepted or b) objected to be drawing(s) be held in abeyand bection is required if the drawing	nce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR 1.12	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bure. * See the attached detailed Office action for a list	nts have been received. nts have been received in A iority documents have been au (PCT Rule 17.2(a)).	pplication No received in this National Stage	
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No(Summary (PTO-413) s)/Mail Date nformal Patent Application 	

Art Unit: 1764

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on July 13, 2006 has been entered.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any

Art Unit: 1764

evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1-4 and 15-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Baker et al. (5,951,848) in view of Kresge et al. (5,837,639) and either Benazzi et al. (6,884,339) or Carroll et al. (6,517,704).

Baker discloses a process for catalytic dewaxing a feedstock. The feedstock, which comprises about less than 5,000 ppm of sulfur compounds and about 50 ppm of nitrogen compounds, is first passed into a hydrotreating zone to remove nitrogen and sulfur compounds. The hydrogenating zone is operated at a temperature of from 300 to 450° C, at a pressure of from 6900 to 20700 kPa, at a LHSV of from 0.1 to 10 hr⁻¹, and at a hydrogen rate of from 200 to 800 SCF/Bbl (900 to 1800 m³/m³). The hydrotreating catalyst comprises nickel and tungsten. The effluent from the hydrotreating zone is entirely passed into a dewaxing zone containing a dewaxing catalyst including ZSM-48, a metal hydrogenation component (e.g., Pt or Pd). The dewaxing zone is operated at conditions similar to the hydrotreating zone. The product from the dewaxing zone is further treated in a hydrofinishing zone. (See col. 1, lines 9-20; col. 2, line 46 through col. 3, line 3; col. 4, line 14 through col. 5, line 29; col. 5, line 62 through col. 6, line 4; col. 8, line 1 through col. 10, line 47)

Baker does not specifically disclose that the effluent from the dewaxing step is passed into a hydrofinishing zone without disengagement, does not disclose that the hydrofinishing

Art Unit: 1764

catalyst is MCM-41, and does not disclose that the hydrotreating and the hydrodewaxing are operated in two separated reactors.

Both Benazzi and Carroll disclose a hydroprocessing process wherein an effluent from the dewaxing step is directly passed into a hydrofinishing zone without disengagement. Benazzi further discloses that the pre-hydrotreating and the dewaxing (hydrocracking) can be operated in a single reactor or in different reactors. Carroll also discloses that the hydrotreating and the dewaxing are operated in different reactors. (See Benazzi col. 8, lines 36-38; claims 1-4; Carroll col. 5, lines 53-57)

Kresge teaches the use of MCM-41 as a hydrotreating catalyst. (See col. 4, lines 57-68; col. 5, lines 1-16; col. 33, lines 33-37)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the process of Baker by passing an effluent from the dewaxing step directly into a hydrofinishing zone without disengagement because both Benazzi and Carroll teach that it is advantaged to pass the entire dewaxed stream from the dewaxing stage to the hydrofinishing zone.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the process of Baker by using MCM-41 as a hydrofinishing catalyst because Kresge teaches that MCM-41 is a highly effective hydrotreating catalyst.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the process of Baker by operating the hydrotreating and dewaxing steps in different reactor as taught by either Benazzi or Carroll because it would be

Art Unit: 1764

expected that the results would be the same or similar when operating the hydrotreating step and the dewaxing step in either a single reactor or in different reactor because in both cases the hydrocarbon feeds are contacted with catalysts and hydrogen.

Claims 20-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Xiao et al. (6,264,826) in view of Kresge et al. (5,837,639) and either Benazzi et al. (6,884,339) or Carroll et al. (6,517,704).

Xiao discloses a process for preparing lubricating base oils from a sulfur containing feedstock. The feedstock is derived from a solvent extracting process wherein foots oils is prepared by separating oil from the wax. The foot oils, which comprises about 0.5 to 2.5 wt.% (5000 to 25,000 ppm) of sulfur compounds and about 50 to 2000 ppm of nitrogen compounds, is fed into a hydrotreating zone wherein nitrogen and sulfur compounds are removed. The hydrotreating zone is operated at a temperature of from 260 to 427° C, at a pressure of from less than 11 Mpa, at LHSV of about 0.5, and at hydrogen rate of about 722 m³/m³. The entire effluent from the hydrotreating zone is then fed into a dewaxing zone containing a dewaxing catalyst including ZSM-5 and SAPO-11, a metal hydrogenation component (e.g., Pt or Pd). The dewaxing process is operated at temperature of from 400 to 900° F, at a pressure of from .45 to 20.8 Mpa, at LHSV of from about 0.1 to 5 hr¹¹, and at hydrogen gas rates of from 89.1 to 1780 m³/m³. The product from the dewaxing zone is then passed into a hydrofinishing zone to provide a final product. (See col. 2, line 51 through col. 6, line 59; col. 8, line 53 through col. 10, line 40)

Xiao does not specifically disclose that the effluent from the dewaxing step is passed into a hydrofinishing zone without disengagement and does not disclose that the hydrofinishing catalyst is MCM-41.

Art Unit: 1764

Both Benazzi and Carroll disclose a hydroprocessing process wherein an effluent from the dewaxing step is directly passed into a hydrofinishing zone without disengagement. (See Benazzi col. 8, lines 36-38; Carroll col. 5, lines 53-57)

Kresge teaches the use of MCM-41 as a hydrotreating catalyst. (See col. 4, lines 57-68; col. 5, lines 1-16; col. 33, lines 33-37)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the process of Xiao by passing the effluent from the dewaxing step directly into a hydrofinishing zone without disengagement because both Benazzi and Carroll teach that it is advantaged to pass the entire dewaxed stream from the dewaxing stage to the hydrofinishing zone.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the process of Xiao by using MCM-41 as a hydrofinishing catalyst because Kresge teaches that MCM-41 is a highly effective hydrotreating catalyst.

Claims 8-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over references as applied to claims 1-4 above, and further in view of either Lucien et al. (4,906,350) or Cody et al. (5,935,417)

Baker does not specifically disclose that the dewaxing zone comprises a second catalyst.

Both Lucien and Cody teach that ZSM-5 and/or ZSM-48 can be utilized in a dewaxing process. (See Lucien, claim 2; Cody; col. 7, lines 10-16)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the process of Baker by using a second catalyst such as ZSM-5 because both Lucien and Cody teaches that ZSM-5 and ZSM-48 can be used as a

Art Unit: 1764

dewaxing catalyst. It is prima facie obvious to combine two compositions each of which is taught by the prior art to be useful for the same purpose, in order to form a third composition which is to be used for the very same purpose. *In re Kerkhoven* 205 USPQ 1069 (CCPA 1980).

Claim 25 is rejected under 35 U.S.C. 103(a) as being unpatentable over references as applied to claims 20-23 above, and further in view of Cody et al. (5,935,417).

Xiao does not specifically disclose a step of blending a raffinate feedstock and at least one of a slack wax or foots oil.

Cody discloses a step of blending a raffinate feedstock with foots oil to form a blended feedstock. (See col. 5, lines 9-15)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the process of Xiao by using the blend feedstock of Cody because any waxy feedstock can be used in the process of Xiao. Therefore, it would be expected that the blend feedstock would be successfully treated in the process of Xiao.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tam M. Nguyen whose telephone number is (571) 272-1452. The examiner can normally be reached on Monday through Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Caldarola can be reached on (571) 272-1444. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1764

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Tam M. Nguyen Examiner

Page 8

Art Unit 1764

TN